



Milan Blagojević AD Smederevo
Since 1923



Smederevac

Štednjaci i peći za etažno grejanje Central heating cookers and stoves	3 - 15
Štednjaci na čvrsta goriva Solid fuel cookers	17 - 30
Peći na čvrsta goriva Solid fuel stoves	31 - 44
Elektro i kombinovani štednjaci Electric and dual fuel cookers	45 - 56
Tabela tehničkih karakteristika Technical data table	57 - 64
Sertifikati Certificates	64

O nama About MBS

Milan Blagojević iz Smedereva je privatna fabrika u okviru Invej grupacije. Osnovni asortiman proizvoda su šporeti i peći na čvrsto gorivo / električni šporeti sa najvećim međunarodnim standardima kvaliteta. Fabrika je otvorila svoj put na evropska i svetska tržišta svojim stalnim razvojem i prilagođavanjem zahtevima različitih tržišta.

Fabrika je osnovana 1923 god. i od tada do danas je stvorila prepoznatljivi proizvođački brend tradicije i kvaliteta. Ostvarene su saradnje sa francusko - belgijskom firmom ARTUR-MARTIN, korporacijom CANDY, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

Rukovodstvo MBS-a ima vodeću ulogu u primeni i stalnom poboljšavanju sistema upravljanja kvalitetom i zaštitom životne sredine, usaglašenog sa zahtevima standarda ISO 9001:2008 i ISO 14001:2009.

Milan Blagojević from Smederevo is privately owned factory and it is integral part of Invej group.

Basic assortment of our products are wood-cookers and stoves /electric range cookers in accordance with international quality standards.

Our company had created its own path on European and World markets by constant improvement and adjusting to various markets requirements.

Factory was founded in the year 1923 and until now it has created well recognized manufacturing brand, tradition and quality. Company had realised cooperation with French-Belgium company ARTHUR-MARTIN, CANDY group, HOOVER, ROSIERES, ZEROWATT, IBERNA, KELVINATOR, OTSEIN I GASFIRE.

MBS management has leading role in implementing and constant improvement of quality management system and environmental management system in accordance with requirements of standards ISO 9001:2008 and ISO 14001:2009.



Štednjaci i peći
za etažno grejanje
**Central heating
cookers and
stoves**



Thermo AS Thermo AS LUX

Dimenzije (VxŠxD) Dimensions (HxWxD)	845x900x654 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	350x287x416 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	21 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	10 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	11 kW
Zapremina kotla Boiler volume	19 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	73 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors



Thermo Rocky



Dimenzije (VxŠxD) Dimensions (HxWxD)	850x900x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x290x430 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	25 kW / 17 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	16 kW / 9,4 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	9 kW / 7,6 kW
Zapremina kotla Boiler volume	22 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	87 % / 82 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Thermo Magnum Thermo Magnum S

Dimenzije (VxŠxD)	860x1075x660 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	325x320x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	14 kW / 17 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	9 kW / 9 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	5 kW / 8 kW
Power given to room (wood / coal)	
Zapremina kotla	11 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	89 % / 85 %
Efficiency (wood / coal)	
Odvod dima	zadnji, centralni /
Fume outlet	back, up / Ø 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors





Super Thermo Magnum Super Thermo Magnum S

Dimenzije (VxŠxD) Dimensions (HxWxD)	860x1075x660 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	320x400x410 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	272x270x420 mm
Snaga (drvo / ugalj) Power (wood / coal)	20 kW / 20 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	10 kW / 13 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	10 kW / 7 kW
Zapremina kotla Boiler volume	19 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	86 % / 89 %
Odvod dima Fume outlet	zadnji, centralni / back, up / Ø 130 / 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Boje
Colors

Thermo Royal 720

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x720x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	260x180x420 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	11 kW / 14 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	6 kW / 6 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	5 kW / 8 kW
Zapremina kotla Boiler volume	4 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	86 % / 86 %
Odvod dima Fume outlet	levi, desni, zadnji, centralni / left, right, back, up / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Thermo Vulkan Thermo Vulkan S

Dimenzije (VxŠxD) Dimensions (HxWxD)	790x650x580 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	320x410x400 mm
Snaga (drvo / ugalj) Power (wood / coal)	19,7 kW / 24,8 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	14 kW / 14,6 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	5,7 kW / 10,2 kW
Zapremina kotla Boiler volume	24 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	86 % / 85 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal



Boje
Colors

Thermo Vulkan Plus

Dimenzije (VxŠxD) Dimensions (HxWxD)	1175x650x580 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	300x425x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x455 mm
Snaga (drvo / ugalj) Power (wood / coal)	24 kW / 23 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	15 kW / 14 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	9 kW / 9 kW
Zapremina kotla Boiler volume	18 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	85 % / 86 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal



Thermo In

Dimenzije (VxŠxD) Dimensions (HxWxD)	1000x650x545 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	390x410x370 mm
Snaga (drvo / ugalj) Power (wood / coal)	16 kW / 19 kW
Snaga predata vodi (drvo / ugalj) Power given to water (wood / coal)	8 kW / 8 kW
Snaga predata okolini (drvo / ugalj) Power given to room (wood / coal)	8 kW / 11 kW
Zapremina kotla Boiler volume	23 l
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	88 % / 87 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva (drvo / ugalj) Fuel type (wood / coal)	drvo, ugalj wood, coal



Boje
Colors

Thermo Vesta

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	410x215x335 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	8 kW / 11 kW
Power (wood / coal)	
Snaga predata vodi (drvo / ugalj)	6,5 kW / 9 kW
Power given to water (wood / coal)	
Snaga predata okolini (drvo / ugalj)	1,5 kW / 2 kW
Power given to room (wood / coal)	
Zapremina kotla	4 l
Boiler volume	
Stepen iskorišćenja (drvo / ugalj)	83 % / 82 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva (drvo / ugalj)	drvo, ugalj
Fuel type (wood / coal)	wood, coal

Boje
Colors





MBS Thermo Pellet 12 kW | 18 kW

	12 kW	18 kW
Dimenzije (VxŠxD) Dimensions (HxWxD)	1170x600x700 mm	
Snaga Power	12 kW	18 kW
Snaga predata vodi Power given to water	8 kW	14 kW
Snaga predata okolini Power given to room	4 kW	4 kW
Snaga električnog dela Power of electric part	0,5 kW	
Zapremina kotla Boiler volume	46 l	
Stepen iskorišćenja Efficiency	93,5 %	90 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm	
Tip goriva Fuel type	pellet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control		



MBS Thermo Pellet 25 kW

Dimenzije (VxŠxD)
Dimensions (HxWxD) 1280x620x820 mm

Snaga
Power 25 kW

Snaga predata vodi
Power given to water 20 kW

Snaga predata okolini
Power given to room 5 kW

Snaga električnog dela
Power of electric part 0,5 kW

Zapremina kotla
Boiler volume 70 l

Stepen iskorišćenja
Efficiency 90 %

Odvod dima
Fume outlet zadnji /
back / Ø 80 mm

Tip goriva
Fuel type pelet
pellet

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
**Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control**

Boje
Colors





MBS Thermo Pellet 25 kW | 35 kW

	25 kW	35 kW
Dimenzije (VxŠxD) Dimensions (HxWxD)	1280x620x820 mm	
Snaga Power	25 kW	35 kW
Snaga električnog dela Power of electric part	0,5 kW	
Zapremina kotla Boiler volume	70 l	
Stepen iskorišćenja Efficiency	90 %	
Odvod dima Fume outlet	zadnji / back / Ø 80 mm	
Tip goriva Fuel type	pellet pellet	
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control		



Štednjaci
na čvrsto gorivo
**Solid fuel
cookers**



Strong pellet

Dimenzije (VxŠxD)
Dimensions (HxWxD) 870x910x655 mm

Dimenzije pećnice (VxŠxD)
Oven dimensions (HxWxD) 300x300x450 mm

Snaga
Power 11,5 kW

Stepen iskorišćenja
Efficiency 90 %

Odvod dima
Fume outlet centralni /
up / Ø 120 mm

Tip goriva
Fuel type pelet
pellet

Nedeljno programiranje rada (do sedam dana unapred) /
Automatsko puštanje u rad / Daljinsko upravljanje
**Weekly programming (up to seven days in advance) /
Automatic start-up / Remote control**

Boje
Colors





Strong

Dimenzije (VxŠxD)	865x915x655 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	440x300x445 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	10 kW / 7,5 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 80 %
Efficiency (wood / coal)	
Odvod dima	centralni, zadnji /
Fume outlet	up, back / Ø 130 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

AS AS LUX

Dimenzije (VxŠxD) Dimensions (HxWxD)	845x900x654 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	270x270x350 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga (drvo / ugalj) Power (wood / coal)	8 kW / 12 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	78 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors



Rocky

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x320x450 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 %/ 80 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Magnum Magnum S

Dimenzije (VxŠxD) 865x1070x660 mm

Dimensions (HxWxD)

Dimenzije ložišta (VxŠxD) 270x270x350 mm

Firebox dimensions (HxWxD)

Dimenzije pećnice (VxŠxD) 270x350x470 mm

Oven dimensions (HxWxD)

Snaga (drvo / ugalj) 11 kW / 12 kW

Power (wood / coal)

Stepen iskorišćenja (drvo / ugalj) 89 % / 85 %

Efficiency (wood / coal)

Odvod dima centralni, zadnji /
Fume outlet up, back / Ø 120 mm

Tip goriva drvo, ugalj
Fuel type wood, coal



Boje
Colors



Trend

Dimenzije (VxŠxD)	855x900x495 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x335x370 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	205x370x325 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	7,5 kW/ 8 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	77 % / 73 %
Efficiency (wood / coal)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Royal 900

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x500x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	9 kW / 9 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	60 %/ 62 %
Efficiency (wood / coal)	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors





Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	8 kW / 7 kW
Power	
Stepen iskorišćenja (drvo / ugalj)	73 % / 71 %
Efficiency	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Smederevac MBS 9 RS

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x945x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x490x460 mm
Snaga (drvo) Power (wood)	11 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	85 %
Odvod dima Fume outlet	levi, desni / left, right / \varnothing 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Smederevac MBS 9 SL

Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	11 kW
Power (wood)	
Stepen iskorišćenja (drvo)	60 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal



Smederevac MBS 7 RS

Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	9,5 kW
Power (wood)	
Stepen iskorišćenja (drvo)	83 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal

Boje
Colors



Smederevac MBS 7 SL



Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	8,5 kW / 9,5kW
Power (wood)	
Stepen iskorišćenja (drvo)	85 % / 86 %
Efficiency (wood)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal



Smederevac MBS 3

Dimenzije (VxŠxD)	740x720x570 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x300 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x300x400 mm
Oven dimensions (HxWxD)	
Snaga (drvo / ugalj)	6,5kW / 10 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 85 %
Efficiency (wood / coal)	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors



Peći
na čvrsto gorivo
**Solid fuel
stoves**



Eva

Dimenzije (VxŠxD)	780x605x555 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x500x420 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	10 kW
Power (wood)	
Stepen iskorišćenja (drvo)	75 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors



Elit

Dimenzije (VxŠxD)	985x588x493 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	300x400x350 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	8,6 kW / 9 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	76 % / 74 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Vulkan Vulkan S

Dimenzije (VxŠxD) Dimensions (HxWxD)	735x650x545 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	265x390x400 mm
Snaga (drvo / ugalj) Power (wood / coal)	17 kW / 21 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	83 % / 84 %
Odvod dima Fume outlet	centralni / up / Ø 150 mm
Tip goriva Fuel type	drvo, ugalj wood, coal



Olymp Olymp S

Dimenzije (VxŠxD)	850x580x625 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	300x290x365 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	12 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	80 % / 82 %
Efficiency (wood / coal)	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Olympia Olympia S

Dimenzije (VxŠxD) Dimensions (HxWxD)	1125x580x625 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	300x290x365 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	280x270x425 mm
Snaga (drvo / ugalj) Power (wood / coal)	12 kW / 18 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	87 % / 87 %
Odvod dima Fume outlet	zadnji / back / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Vesta

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x290x335 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	9 kW / 9,5 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	85 % / 86 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Boje
Colors

Vesta Plus

Dimenzije (VxŠxD) Dimensions (HxWxD)	940x455x440 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	240x325x350 mm
Snaga (drvo / ugalj) Power (wood / coal)	9 kW / 11 kW
Stepen iskorišćenja (drvo / ugalj) Efficiency (wood / coal)	83 % / 87 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors



Hit

Dimenzije (VxŠxD)	885x550x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x290x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	11 kW / 13 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	82 % / 83 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal



Corner

Dimenzije (VxŠxD)	885x640x575 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x280x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	10 kW / 12 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	81 % / 86 %
Efficiency (wood / coal)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, ugalj
Fuel type	wood, coal

Boje
Colors





Hera

Dimenzije (VxŠxD)	850x400x560 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	350x290x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	89 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo, uglj
Fuel type	wood, coal



Boje
Colors

Happy

Dimenzije (VxŠxD) Dimensions (HxWxD)	745x400x410 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x270x300 mm
Snaga (drvo) Power (wood)	6 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	82 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj) Fuel type / Consumption (wood / coal)	drvo, ugalj wood, coal

Boje
Colors



PG-1

Dimenzije (VxŠxD)	870x400x490 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	380x275x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	6 kW / 6 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	60 % / 62 %
Efficiency (wood / coal)	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
Fuel type / Consumption (wood / coal)	wood, coal



Boje
Colors

MBS Pellet

	6 kW	8,5 kW	10 kW
Dimenzije (VxŠxD) Dimensions (HxWxD)	980x570x500 mm		
Snaga Power	6 kW	8,5 kW	10 kW
Snaga električnog dela Power of electric part	0,5 kW		
Stepen iskorišćenja Efficiency	88 %	85 %	88 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm		
Tip goriva Fuel type	pelet pellet		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control			

Boje
Colors



Električni i
kombinovani
proizvodi
**Electric and
dual fuel
products**



NL50

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600 mm
<input type="radio"/> Ringla - brzogrejuća <input checked="" type="radio"/> Hot plate - fast heating	Ø180 mm/2,0 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> Hot plate - standard	Ø145 mm/1,0 kW
<input type="radio"/> Ringla - standardna <input checked="" type="radio"/> Hot plate - standard	Ø145 mm/1,0 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> Hot plate - standard	Ø180 mm/1,5 kW
Dimenzije pečnice (VxŠxD) Oven dimensions(HxWxD)	280x420x470 mm
Zapremina pečnice / Oven volume	55 l
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pečnice / Oven light	•

Boje
Colors



NL508



Dimenzije (VxŠxD) Dimensions (HxWxD)	850x500x600 mm
○ Ringla - brzogrejuća ● Hot plate - fast heating	Ø180 mm/2,0 kW
● Ringla - standardna ○ Hot plate - standard	Ø145 mm/1,0 kW
○ Ringla - standardna ● Hot plate - standard	Ø80 mm/0,45 kW
● Ringla - standardna ○ Hot plate - standard	Ø180 mm/1,5 kW
Dimenzije pećnice (VxŠxD) Oven dimensions(HxWxD)	280x420x470 mm
Zapremina pećnice / Oven volume	55 l
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emaljirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pećnice / Oven light	•

Boje
Colors

NL60

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x600x600 mm
<input type="radio"/> Ringla - standardna <input checked="" type="radio"/> Hot plate - fast heating	Ø180 mm/1,5 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> Hot plate - standard	Ø145 mm/1,0 kW
<input type="radio"/> Ringla - brzogrejuća <input checked="" type="radio"/> Hot plate - standard	Ø145 mm/1,05 kW
<input checked="" type="radio"/> Ringla - standardna <input type="radio"/> Hot plate - standard	Ø220 mm/2,0 kW
Dimenzije pećnice (VxŠxD) Oven dimensions(HxWxD)	280x420x470 mm
Zapremina pećnice / Oven volume	55 l
Gornji grejač / Upper heater	1,0 kW
Donji grejač / Bottom heater	1,0 kW
Svetiljka / Light	15 W
Emaljirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Osvetljenje pećnice / Oven light	•

Boje
Colors



Mini



Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350 mm
Ukupna instalisana snaga Total installed power	3,6 kW
●○ Ringla - standardna Hot plate - standard	Ø145mm/1,0 kW
○● Ringla - standardna Hot plate - standard	Ø180mm/1,5 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	23 l
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•
Energetska efikasnost / Energy efficiency class	A



Mini Glass

Dimenzije (VxŠxD) Dimensions (HxWxD)	315x570x350 mm
Ukupna instalisana snaga Total installed power	3,5 kW
●○ Leva grejna površina Left cooking zone	Ø145 mm / 1,2 kW
○● Desna grejna površina Right cooking zone	Ø145 mm / 1,2 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	22 l
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•
Energetska efikasnost / Energy efficiency class	A

Boje
Colors



Mini Gas



Dimenzije (VxŠxD) Dimensions (HxWxD)	350x570x350 mm
Ukupna instalisana snaga Total installed power	5,1 kW
●○ Gorionik - veliki Burner - large	3 kW
○● Gorionik - mali Burner - small	1 kW
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	22 l
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Maksimalna temperatura pećnice / Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom / Double glass door	•
Energetska efikasnost / Energy efficiency class	A



Mini UP

Dimenzije (VxŠxD) / Dimensions (HxWxD)	370x515x408 mm
Dimenzije prostora za ugradnju (VxŠxD) Built-in area dimensions (HxWxD)	365x490x450 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	205x367x325 mm
Zapremina pećnice / Oven volume	24,5 l
Ukupna snaga / Total power	1,1 kW
Gornji grejač / Upper heater	550 W
Donji grejač / Bottom heater	550 W
Težina / Weight	18,5 kg
Maksimalna temperatura pečenja Max oven temperature	250°C
Emajlirana tava / Enamelled frying pan	•
Rešetka / Grid	•
Vrata sa dvostrukim staklom Double glass door	•
Tajmer / Timer	•

Boja
Color



SD-54 INOX



Širina / Width	60 cm
Kapacitet / Capacity	650 m ³ /h
Broj i snaga motora Number and power of motors	1 x 120 W
Svetlo / Light	2 x 25 W
Ukupna snaga / Total power	170 W
Priključak odvoda / Outlet connection	120 mm

 Boja
Color

7001 G

Širina / Width	60 cm
Kapacitet / Capacity	550 m ³ /h
Broj i snaga motora Number and power of motors	2 x 90 W
Svetlo / Light	1 x 25 W
Ukupna snaga / Total power	205 W
Priključak odvoda / Outlet connection	120 mm



Boja
Color



3501 INOX



Širina / Width	60 cm
Kapacitet / Capacity	280 m ³ /h
Broj i snaga motora Number and power of motors	1 x 90 W
Svetlo / Light	1 x 25 W
Ukupna snaga / Total power	115 W
Priključak odvoda / Outlet connection	120 mm

 Boja
Color

3501 W

Širina / Width	60 cm
Kapacitet / Capacity	280 m ³ /h
Broj i snaga motora Number and power of motors	1 x 90 W
Svetlo / Light	1 x 25 W
Ukupna snaga / Total power	115 W
Priključak odvoda / Outlet connection	120 mm



Boja
Color



Tabela tehničkih
karakteristika
Technical data table



MODEL / MODEL	Thermo AS Thermo AS LUX	Thermo Rocky	Thermo Magnum Thermo Magnum S	Super Thermo Magnum / S	Thermo Royal 720
Dimenzije (VxŠxD) / Dimensions (HxWxD)	845x900x654 mm	850x900x600 mm	860x1075x660 mm	860x1075x660 mm	850x720x600 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	350x287x416 mm	400x290x430 mm	325x320x400 mm	320x400x410 mm	260x180x420 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	270x350x470 mm	270x350x470 mm	270x350x470 mm	272x270x420 mm	270x350x470 mm
Snaga (drvo / ugalj) / Power (wood / coal)	21 kW / ---	25 kW / 17 kW	14 kW / 17 kW	20 kW / 20 kW	11 kW / 14 kW
Snaga predata vodi (drvo / ugalj) / Power given to water (wood / coal)	10 kW / ---	16 kW / 9,4 kW	9 kW / 9 kW	10 kW / 13 kW	6 kW / 6 kW
Snaga predata okolini (drvo / ugalj) / Power given to room (wood / coal)	11 kW / ---	9 kW / 7,6 kW	5 kW / 8 kW	10 kW / 7 kW	5 kW / 8 kW
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	73 % / ---	87 % / 82 %	89 % / 85 %	86 % / 89 %	86 % / 86 %
Emisija CO (svedeno na 13% O ₂) (drvo / ugalj) / The average CO value (taken from 13% O ₂) (wood / coal)	0,87 % / ---	0,053% / 0,092%	0,070% / 0,081%	0,072 % / 0,066 %	0,237% / 0,128%
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,261 g/m ³ / ---	0,028/0,026 g/m ³	0,055 / 0,070 g/m ³	0,039 / 0,037 g/m ³	0,068 / 0,069 g/m ³
Zapremina kotla / Boiler volume	19 l	22 l	11 l	19 l	4 l
Priključak odvoda dima / Fume outlet position	C* / U*	C* / U*	C,Z* / U,B*	C,Z* / U,B*	L,D,C,Z* / L,R,U,B*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 150 mm	Ø 150 mm	Ø 150 mm	Ø 130 / 150 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	200 °C / ---	189,2 °C / 210,5 °C	129 °C / 160 °C	149,5 °C / 136 °C	121,2 °C / 97,2 °C
Težina / Weight	185 kg	162 kg	172 / 206 kg**	181 kg / 218,2 kg**	117 kg
Tip goriva / Fuel type	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	6,8 kg/h / ---	5,2 kg/h / 6,1 kg/h	3,3 kg/h / 3,3 kg/h	5,1 kg/h / 7,1 kg/h	2,2 kg/h / 2,7 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	138 m ²	165 m ² / 112 m ²	92 m ² / 112 m ²	138 m ² / 138 m ²	72 m ² / 92 m ²

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Thermo Vulkan				MBS Thermo Pellet		MBS Thermo Pellet		MBS Thermo Pellet	
Thermo Vulkan S	Thermo Vulkan Plus	Thermo In	Thermo Vesta	12	18	25	25	35	
790x650x580 mm	1175x650x580 mm	1000x650x545 mm	890x455x440 mm	1170x600x700 mm		1280x620x820 mm		1280x620x820 mm	
320x410x400 mm	300x425x400 mm	390x410x370 mm	410x215x335 mm	/		/		/	
/	270x350x455 mm	/	/	/		/		/	
19,7 kW / 24,8 kW	24 kW / 23 kW	16 kW / 19 kW	8 kW / 11 kW	12 kW	18 kW	25 kW	25 kW	35 kW	
14 kW / 14,6 kW	15 kW / 14 kW	8 kW / 8 kW	6,5 kW / 9 kW	8 kW	14 kW	20 kW	---	---	
5,7 kW / 10,2 kW	9 kW / 9 kW	8 kW / 11 kW	1,5 kW / 2 kW	4 kW	4 kW	5 kW	---	---	
86 % / 85 %	85 % / 86 %	88 % / 87 %	83 % / 82 %	93,5 %	90 %	90 %	90 %		
0,077 % / 0,08 %	0,054 % / 0,048 %	0,092 % / 0,114 %	0,086 % / 0,077 %	0,03 %		---	---		
0,037 / 0,039 g/m ³	--- / ---	0,068 / 0,065 g/m ³	0,058 / 0,036 g/m ³	0,03 g/m ³		---	---		
24 l	18 l	23 l	4 l	46 l		70 l	70 l		
C* / U*	C* / U*	C* / U*	C* / U*	Z* / B*		Z* / B*	Z* / B*		
Ø 150 mm	Ø 150 mm	Ø 150 mm	Ø 120 mm	Ø 80 mm		Ø 80 mm	Ø 80 mm		
227,5 °C / 199 °C	178,8 °C / 171,4 °C	123,1 °C / 114 °C	142 °C / 150 °C	120 °C		---	---		
152,2 kg / 184,3 kg**	224 kg	161,5 kg	87,7 kg	197,4 kg	198,2 kg	350 kg	350 kg		
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	pellet pellet		pellet pellet	pellet pellet		
4,3 kg/h / 3,4 kg/h	5 kg/h / 4 kg/h	3,17 kg/h / 3,3 kg/h	1,6 kg/h / 1,6 kg/h	min - max 1,2 - 4,1 kg/h	min - max 1,5 - 4,9 kg/h	max 6,2 kg/h	max 6,2 kg/h	max 8,7 kg/h	
130 m ² / 163 m ²	152 m ² / 150 m ²	105 m ² / 125 m ²	53 m ² / 72 m ²	79 m ²	118 m ²	160 m ²	160 m ²	270 m ²	



MODEL / MODEL	Strong pellet	Strong	AS AS LUX	Rocky	Magnum Magnum S
Dimenzije (VxŠxD) / Dimensions (HxWxD)	870x910x655 mm	865x915x655 mm	845x900x654 mm	850x900x600 mm	860x1075x660 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	/	195x200x400 mm	270x270x350 mm	400x320x450 mm	270x270x350 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	300x300x450 mm	440x300x445 mm	270x350x470 mm	270x350x470 mm	270x350x470 mm
Snaga (drvo / ugalj) / Power (wood / coal)	11,5 kW	10 kW / 7,5 kW	8 kW / 12 kW	11 kW / 12 kW	11 kW / 12 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	90 %	81 % / 80 %	78 % / ---	81 % / 80 %	89 % / 85 %
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	0,008%	0,07 % / 0,05 %	0,11 % / ---	0,036 % / 0,047 %	0,21 % / 0,11 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	0,02 g/m ³	0,036 / 0,027 g/m ³	0,037 g/m ³ / ---	0,021 / 0,022 g/m ³	0,067g/m ³ / ---
Zapremina kotla / Boiler volume	/	/	/	/	/
Priključak odvoda dima / Fume outlet position	C* / U*	C,Z* / U,B*	C* / U*	C* / U*	C,Z* / U,B*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 130 mm	Ø 150 mm	Ø 150 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	145,1 °C	211,5 °C / 181,7 °C	185 °C / ---	178,9 °C / 190,7 °C	116 °C / 117 °C
Težina / Weight	207 kg	222,2 kg	155 kg	151,2 kg**	172,4 kg / 219 kg**
Tip goriva / Fuel type	pelet pellet	drvo, ugalj wood, coal	drvo wood	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	min-max 0,9 - 2,5 kg/h	3,1 kg/h / 2,5 kg/h	2,46 kg/h / ---	3 kg/h / 4,6 kg/h	2,24 kg/h / ---
Kapacitet grejanja (maksimalno) / Heatable volume (max)	75 m ²	65 m ² / 50 m ²	52 m ²	72 m ² / 79 m ²	72 m ² / 79 m ²

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Trend	Royal 900	Royal 720	Smederevac MBS 9 RS	Smederevac MBS 9 SL	Smederevac MBS 7 RS	Smederevac MBS 7 SL	Smederevac MBS 3
855x900x495 mm	850x900x600 mm	850x720x600 mm	740x945x645 mm	740x945x645 mm	740x820x645 mm	740x820x645 mm	740x720x570 mm
270x335x370 mm	175x250x400 mm	175x250x400 mm	250x200x400 mm	250x200x400 mm	250x200x400 mm	250x200x400 mm	195x200x300 mm
205x370x325 mm	270x500x470 mm	270x350x470 mm	200x490x460 mm	200x490x460 mm	200x430x460 mm	200x430x460 mm	200x300x400 mm
7,5 kW / 8 kW	9 kW / 9 kW	8 kW / 7 kW	11 kW / ---	11 kW / ---	9,5 kW / ---	8,5 kW / 9,5kW	6,5 kW / 10 kW
///	///	///	///	///	///	///	///
77 % / 73 %	60 % / 62 %	73 % / 71 %	85 % / ---	60 % / ---	83 % / ---	85 % / 86 %	81 % / 85 %
0,109 % / 0,067 %	0,35 % / 0,37 %	0,138 % / 0,055 %	--- / ---	0,38 % / ---	0,0694 % / ---	0,179 % / 0,174 %	0,030 % / 0,081 %
0,021 / 0,018 g/m ³	--- / ---	0,058 / 0,056 g/m ³	--- / ---	--- / ---	0,0266 g/m ³ / ---	0,060 / 0,039 g/m ³	0,038 / 0,030 g/m ³
///	///	///	///	///	///	///	///
L,D* / L,R*	L,D,C,Z* / L,R,U,B*	L,D,C,Z* / L,R,U,B*	L,D* / L,R*	L,D* / L,R*	L,D* / L,R*	L,D* / L,R*	L,D* / L,R*
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
180 °C / 174 °C	277 °C / ---	131 °C / 131 °C	--- / ---	295 °C / ---	157 °C / ---	115,6 °C / 94,2 °C	157 °C / 117,5 °C
93 kg	130 kg	110 kg	90,7 kg	84 kg	84,3 kg	84 kg	71 kg
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
2,65 kg/h / 3,3 kg/h	2,5 kg/h / 2,4 kg/h	2,24 kg/h / 4,2 kg/h	--- / ---	2 kg/h / ---	2,6 kg/h / ---	1,8 kg/h / 4,0 kg/h	1,5 kg/h / 2 kg/h
50 m ² / 52 m ²	59 m ² / 59 m ²	53 m ² / 46 m ²	72 m ² / ---	72 m ² / ---	63 m ² / ---	56 m ² / 63 m ²	43 m ² / 65 m ²

TABELA TEHNIČKIH PODATAKA
TECHNICAL DATA TABLE



MODEL / MODEL	Eva	Elit	Vulkan Vulkan S	Olymp Olymp S	Olympia Olympia S
Dimenzije (VxŠxD) / Dimensions (HxWxD)	780x605x555 mm	985x588x493 mm	735x650x545 mm	850x580x625 mm	1125x580x625 mm
Dimenzije ložišta (VxŠxD) / Firebox dimensions (HxWxD)	400x500x420 mm	300x400x350 mm	265x390x400 mm	300x290x365 mm	300x290x365 mm
Dimenzije pećnice (VxŠxD) / Oven dimensions (HxWxD)	/	/	/	/	280x270x425 mm
Snaga (drvo / ugalj) / Power (wood / coal)	10 kW / ---	8,6 kW / 9 kW	17 kW / 21 kW	12 kW / 12 kW	12 kW / 18 kW
Snaga predata vodi (drvo / ugalj) / Power to the water (wood / coal)	/	/	/	/	/
Snaga predata okolini (drvo / ugalj) / Power to the room (wood / coal)	/	/	/	/	/
Stepen iskorišćenja (drvo / ugalj) / Efficiency (wood / coal)	75 % / ---	76 % / 74 %	83 % / 84 %	80 % / 82 %	87 % / 87 %
Emisija CO (svedeno na 13% O2) (drvo / ugalj) / The average CO value (taken from 13% O2) (wood / coal)	--- / ---	0,088 % / 0,067 %	0,038 % / 0,042 %	0,046 % / 0,046 %	0,032 % / 0,04 %
Emisija prašine (drvo / ugalj) / Dust (wood / coal)	--- / ---	0,069 / 0,043 g/m ³	0,038 / 0,040 g/m ³	0,04 / 0,028 g/m ³	0,038 / 0,039 g/m ³
Zapremina kotla / Boiler volume	/	/	/	/	/
Priključak odvoda dima / Fume outlet position	C* / U*	C* / U*	C* / U*	Z* / B*	Z* / B*
Prečnik priključka odvoda dima / Fume outlet diameter	Ø 120 mm	Ø 120 mm	Ø 150 mm	Ø 120 mm	Ø 120 mm
Temp. izduvnih gasova (drvo / ugalj) / Smoke temp. (wood / coal)	/	279 °C / 297 °C	211 °C / 243 °C	216 °C / 191 °C	129 °C / 129 °C
Težina / Weight	141 kg	131,2 kg	183 kg	110,6 kg / 138,9 kg	161 / 185 kg**
Tip goriva / Fuel type	drvo wood	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal
Potrošnja goriva (drvo / ugalj) / Fuel consumption (wood / coal)	--- / ---	2,5 kg/h / 2,2 kg/h	3,5 kg/h / 2,8 kg/h	2,5 kg/h / 1,6 kg/h	2,3 kg/h / 2,3 kg/h
Kapacitet grejanja (maksimalno) / Heatable volume (max)	65m ² / ---	56 m ² / 59 m ²	112 m ² / 138 m ²	78 m ² / 78 m ²	78 m ² / 118 m ²

*L - levi, D - desni, Z - zadnji, C - centralni / *L - left, R - right, U - up, B - back

**Težina sa dekorativnim kamenom / **Weight with decorative stone



Vesta	Vesta Plus	Hit	Corner	Hera	Happy	PG-1
890x455x440 mm	940x455x440 mm	885x550x440 mm	885x640x575 mm	850x400x560 mm	745x400x410 mm	870x400x490 mm
400x290x335 mm	240x325x350 mm	270x290x300 mm	270x280x300 mm	350x290x300 mm	250x270x300 mm	380x275x300 mm
/	/	/	/	/	/	/
9 kW / 9,5 kW	9 kW / 11 kW	11 kW / 13 kW	10 kW / 12 kW	7 kW / ---	6 kW / ---	6 kW / 6 kW
/	/	/	/	/	/	/
/	/	/	/	/	/	/
85 % / 86 %	83 % / 87 %	82 % / 83 %	81 % / 86 %	89 % / ---	82 % / ---	60 % / 62 %
0,15 % / 0,06 %	0,063 % / 0,07 %	0,037 % / 0,046 %	0,043 % / 0,041 %	0,09 % / ---	0,038 % / ---	0,45 % / 0,45 %
0,056 / 0,057 g/m ³	0,06 / 0,07 g/m ³	0,036 / 0,027 g/m ³	0,038 / 0,028 g/m ³	0,067 g/m ³ / ---	0,055 g/m ³ / ---	--- / ---
/	/	/	/	/	/	/
C* / U*	C* / U*	C* / U*	C* / U*	C* / U*	C* / U*	C* / U*
Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm
124 °C / 142,5 °C	118 °C / 119 °C	211,8 °C / 245,9 °C	265,9 °C / 222,6 °C	182 °C / ---	221,4 °C / ---	295 °C / ---
79 kg	87 kg	71 kg	70 kg	84 kg	54 kg	67 kg
drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo, ugalj wood, coal	drvo wood	drvo wood
2 kg/h / 2,2 kg/h	1,95 kg/h / 2,24 kg/h	2,2 kg/h / 1,8 kg/h	2,18 kg/h / 1,63 kg/h	1,9 kg/h / ---	1,6 kg/h / ---	1,9 kg/h / ---
59 m ² / 63 m ²	59 m ² / 72 m ²	72 m ² / 85 m ²	66 m ² / 79 m ²	46 m ² / ---	40 m ² / ---	40 m ² / 40 m ²



Sertifikati Certificates

Sa tendencijom osvajanja svetskog tržišta, plasiranja kvaliteta i pridobijanja poverenja novih kupaca MBS 1998. Godine dobija nacionalni sertifikat za sistem kvaliteta usaglašen sa zahtevima standarda JUN ISO 9001, a 2003. godine dobijen je sertifikat od strane TÜV CERT za integrisani sistem kvaliteta i zaštite životne sredine usaglašen sa zahtevima standarda ISO 9001 i ISO 14001.

Od tog perioda pa sve do danas, nadzornim proverama i resertifikacijama, nastavlja da potvrđuje svoju opredeljenost ka zadovoljenju potreba i zahteva kupaca kroz negovanje savremenih tokova poslovanja i obezbedenje propisanih uslova zaštite životne sredine.

MBS has tendencies of conquering the world market, placing quality and getting confidence from a new buyers. In the year 1998 MBS had received national certificate for quality management system that is in compliance with requirements of standard JUN ISO 9001, and in the year 2003 Mbs had received certificate from TÜV CERT for integrated quality management system and environmental management system that is in accordance with requirements of standards ISO 9001 and ISO 14001.

From that period until now we had quality management system and environmental management system auditing and recertifications. MBS continues to confirm its dedication towards satisfying buyers demand and adopting modern ways of doing business as well as providing environmental protection regulations.

MBS Pellet 6 kW	MBS Pellet 8,5 kW	MBS Pellet 10 kW
980x570x500 mm		
/		
6 kW	8,5 kW	10 kW
/		
88 %	85 %	88 %
0,02 %	0,02 %	0,02 %
0,0437 g/m ³	0,0437 g/m ³	0,0437 g/m ³
/		
Z* / B*		
Ø 80 mm		
150 °C		
102,4 kg	102,4 kg	114,5 kg
pelet pellet		
min: 0,6 kg/h max: 1,6	min: 0,6 kg/h max: 1,9 kg/h	min: 0,6 kg/h max: 2,2 kg/h
40 m ²	56 m ²	66 m ²



EN ISO
9001:2008



EN ISO
14001:2009

Milan Blagojević AD Smederevo

Đure Strugara 20, 11300 Smederevo, Srbija

Tel: 026 633 600 / 026 633 601 Fax: 026 4629 941

e-mail: office@mbs.rs

Milan Blagojevic AD Smederevo

Djуре Strugara 20, 11300 Smederevo, Serbia

Tel: +381 26 633 600 / +381 26 633 601 Fax: +381 26 4629 941

e-mail: office@mbs.rs

