

A.caminetti

FIREPLACE INSERTS & STOVES

FIRE, A GIFT FROM THE NATURE, IT'S OUR
PLEASURE TO SERVE IT IN THE BEST WAY!





Open Side Series

OPEN SIDE SERIES

FLAT 50 OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	FLAT 50 OPEN SIDE
POWER	6 kW
EFFICIENCY	≥75%
CONSUME	1.5/2.5 KG/H
WEIGHT	86 KG
FLUE GAS TEMPERATURE	210 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	Ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	845 MM
DEPTH	452 MM
WIDTH	667 MM



OPEN SIDE SERIES

FLAT 60 OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	FLAT 60 OPEN SIDE
POWER	7 - 12KW
EFFICIENCY	≥ 75%
CONSUME	1.2- 2.5 KG/H
WEIGHT	95 KG
FLUE GAS TEMPERATURE	215 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	Ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	845 MM
DEPTH	452 MM
WIDTH	765 MM



OPEN SIDE SERIES

FLAT 70 OPEN SIDE






TECHNICAL SPECIFICATION

MODEL FLAT 70 OPEN SIDE

POWER	7 - 12KW
EFFICIENCY	≥ 75%
CONSUME	2-3.5 KG/H
WEIGHT	103 KG
FLUE GAS TEMPERATURE	260 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	845 MM
DEPTH	452 MM
WIDTH	865 MM



OPEN SIDE SERIES

FLAT 80 OPEN SIDE



TECHNICAL SPECIFICATION




MODEL FLAT 80 OPEN SIDE

POWER	7 - 12KW
EFFICIENCY	≥ 75%
CONSUME	2- 3.5 KG/H
WEIGHT	125 KG
FLUE GAS TEMPERATURE	276 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	1018 MM
DEPTH	500 MM
WIDTH	896 MM

flamme
VERTE



OPEN SIDE SERIES

QUATTRO 50 R OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	QUATTRO 50 R OPEN SIDE
POWER	6000 KW
EFFICIENCY	≥ 75%
CONSUME	2-3 KG/H
WEIGHT	109 KG
FLUE GAS TEMPERATURE	263 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	623 MM



OPEN SIDE SERIES

QUATTRO 50 L OPEN SIDE






TECHNICAL SPECIFICATION

MODEL QUATTRO 50 L OPEN SIDE

POWER	6 kW
EFFICIENCY	≥ 75%
CONSUME	2-3 KG/H
WEIGHT	111 KG
FLUE GAS TEMPERATURE	263 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	623 MM



OPEN SIDE SERIES

QUATTRO 60 R OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	QUATTRO 60 R OPEN SIDE
POWER	7 - 12KW
EFFICIENCY	≥75%
CONSUME	2- 3.5 KG/H
WEIGHT	19 KG
FLUE GAS TEMPERATURE	263 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	723 MM



OPEN SIDE SERIES

QUATTRO 60 L OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	QUATTRO 60 L OPEN SIDE
POWER	7 - 12KW
EFFICIENCY	≥ 75%
CONSUME	2- 3.5 KG/H
WEIGHT	19 KG
FLUE GAS TEMPERATURE	263 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	Ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	723 MM



OPEN SIDE SERIES

QUATTRO 70 R OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	QUATTRO 70 R OPEN SIDE
POWER	7 - 12 KW
EFFICIENCY	≥75%
CONSUME	2-3 KG/H
WEIGHT	≈ 29 KG
FLUE GAS TEMPERATURE	266 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	ø180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	823 MM



OPEN SIDE SERIES

QUATTRO 70 L OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	QUATTRO 70 L OPEN SIDE
POWER	7 - 12 KW
EFFICIENCY	≥ 75%
CONSUME	2-3 KG/H
WEIGHT	119 KG
FLUE GAS TEMPERATURE	266 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	Ø180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	823 MM



OPEN SIDE SERIES




QUATTRO 80 R OPEN SIDE

TECHNICAL SPECIFICATION

MODEL	QUATTRO 80 R OPEN SIDE
POWER	7 - 12 KW
EFFICIENCY	≥ 75%
CONSUME	2-3 KG/H
WEIGHT	39 KG
FLUE GAS TEMPERATURE	266 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	Ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	923 MM



OPEN SIDE SERIES

QUATTRO 80 L OPEN SIDE






TECHNICAL SPECIFICATION

MODEL	QUATTRO 80 L OPEN SIDE
POWER	7 - 12 KW
EFFICIENCY	≥ 75%
CONSUME	2-3 KG/H
WEIGHT	39 KG
FLUE GAS TEMPERATURE	266 °C
FUEL	WOOD/BRIQUETTE
PIPE DIAMETER	Ø 180 MM
WARRANTY	5 YEARS

OVERALL DIMENSION

HEIGHT	863 MM
DEPTH	488.6 MM
WIDTH	923 MM




A winter forest scene with a campfire in the foreground and a wooden bridge in the background. The scene is set in a snowy forest with evergreen trees. A bright orange and yellow campfire is burning in the foreground, with flames rising from a pile of logs. In the background, a wooden bridge crosses a small stream, leading into a dense forest of snow-covered evergreen trees. The sky is a soft, hazy orange, suggesting a sunset or sunrise. The overall mood is cozy and serene.

A.caminetti

You always have a choice, make the right one!

Teiko Kusth



A.caminetti

✉ info@acaminetti-factory.com

✉ ergolding@acaminetti-factory.com

📍 Am Industriegleis 6a, 84030 Ergolding, Germany

📍 National Road, Km 2, Korçë-Ersekë, Albania

🌐 acaminetti-factory.com